

DFB

**SOUND OUTTM
MERIDIAN**

sales@dfbsales.com

dfbsales.com

SOUND OUT™ MERIDIAN

Acoustical PET wall covering with a ribbed texture. These easy to install tiles provide wall-to-wall coverage and a seamless installation. Containing 100% recycled material, Sound Out™ Meridian is safe, non toxic, and non-allergenic.

- **Product:** Sound Out™ Meridian
- **Composition:** 100% Polyester Fiber (PET)
- **Panel Thickness:** 1/2" or 1" (~12, 24mm)
- **Tile Size:** Recommended tile size 24x6" (610 x 153 mm)
- **Panel Size:** Full size 4x8' & 4x9' panels are also available
- **Lead Time:** 6-8 weeks
- **Acoustics:** ASTM C 423: 1" 0.8 NRC, 0.83 SAA; 1/2" 0.45 NRC, 0.43 SAA
- **Environmental:** Contains 100% previously recycled polyester fiber



SOUND OUT™

DFB




SO Colors



SO-01




SO-02



SO-03




SO-04




SO-06



SO-07



SO-08




SO-09




SO-10



SO-11




SO-12



SO-13



SO-14




SO-15




SO-16




SO-17




SO-18



SO-19




SO-20




SO-21




SO-22



SO-23




SO-24




SO-25

Always request physical samples prior to ordering to ensure color accuracy.

SO Colors




SO-26



SO-27




SO-28



SO-29




SO-30




SO-31



SO-32




SO-33




SO-34



SO-35




SO-36




SO-37




SO-38




SO-39




SO-40



SO-41




SO-42




SO-43



SO-44



SO-45



SO-46



SO-47



SO-48



SO-49

Always request physical samples prior to ordering to ensure color accuracy.

SO Colors



SO-50



SO-51



SO-51




SO-51




SO-54




SO-55




SO-56



SO-57



SO-58



SO-59



SO-60



Always request physical samples prior to ordering to ensure color accuracy.